CERTIFICATE OF ANALYSIS

Cellular Industries Pty Ltd t/a Cellular Cosmetics — ABN 73 668 909 984

Clinical Vitamin C Cream

Product Identification

Field	Detail
Product Name	Clinical Vitamin C Cream
Product Code	20VITC
Batch Number	20VTC-15JBA
Date of Manufacture	15 October 2026
Date of Expiry / Best Before	24 months after manufacture date or 12 months after opening, whichever is earlier
Period After Opening (PAO)	12 months
Manufacturer	Cellular Industries Pty Ltd t/a Cellular Cosmetics
Address	1/7 Activity Crescent, Molendinar QLD 4214, Australia

Specifications & Test Results

Test	Method	Specification	Result	Pass / Fail
Appearance	Visual	Off-white cream	Conforms	Pass
Odour	Olfactory	Faint characteristic	Conforms	Pass
pH (25 °C)	Calibrated pH meter	3.8 – 4.2	3.99	Pass
Viscosity	Brookfield / visual	Within standard range for product type	Conforms	Pass
Specific gravity	Hydrometer	0.95 – 1.05 g/mL	Conforms	Pass
Total Aerobic Microbial Count (TAMC)	ISO 21149	≤ 100 CFU/g	Conforms	Pass
Total Yeast & Mould (TYMC)	ISO 16212	≤ 100 CFU/g	Conforms	Pass
S. aureus	ISO 22718	Absent / 1 g	Conforms	Pass
P. aeruginosa	ISO 22717	Absent / 1 g	Conforms	Pass
E. coli	ISO 21150	Absent / 1 g	Conforms	Pass
C. albicans	ISO 18416	Absent / 1 g	Conforms	Pass

Conclusion

The above batch has been tested against the product specifications and CONFORMS. This product is released for distribution.

Authorised Release

Field	Detail
QC Officer Name	Jonathan Kafritsas
Qualifications	Bachelor of Biomedical Science & Medical Research, Griffith University
Position	Safety Assessor / Quality Control
Address	1/7 Activity Crescent, Molendinar QLD 4214, Australia
Email	admin@cellular-cosmetics.com
Date of Release	15 October 2026